

Date: Wednesday, 28/01/2009 5:10:20 PM
 User: Julie Dawson

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : WEARSHOE
Job Number : 45350	
Estimate Number : 12734	
P.O. Number :	Part Number : D353525
This Issue : 28/01/2009 S.O. No. :	Drawing Number : D3535 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : SMALL /MED FAB	Drawing Revision : B
Previous Run : 44905	Material :
Written By :	Due Date : 15/02/2009 Qty: 10 Um: Each
Checked & Approved By : <u>520 09.01.29</u>	
Comment : Est Rev:A New Issue 07-02-15 JLM	
Est Rev:B As per Rev B 07-08-31 JLM Verified By:EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	M304S20GA	304/316 .040 Sheet
-----	-----------	--------------------



Comment: Qty.: 0.5355 sf(s)/Unit Total : 5.3550 sf(s)
 304/316 .040 Sheet
 (M304S20GA)
 Batch: 110076 18 9-3-3

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET
 1-Cut as per Dwg D3535
 Dwg Rev: B
 Prog Rev: B

18 9-3-3

(14)

2-Deburr if necessary 18 9-3-3

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--

**Comment:** INSPECT PARTS AS THEY COME OFF MACHINE18 9-3-3

4.0	QC8	SECOND CHECK
-----	-----	--------------

**Comment:** SECOND CHECK8 09/03/05

(14)

5.0	BRAKE NC	NC BRAKE
-----	----------	----------

**Comment:** NC BRAKE

1-Form on CNC Brake as per Dwg D3535 using Jigs DT8261 and DT8326
 2-Form joggle on Punch as per Dwg D3535 using Jig DT8158 Identify as D3535-25

8 09/03/05

(14)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 28/01/2009 5:10:20 PM
User: Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARSHOE

Job Number: 45350

Part Number: D353525

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 09/03/05 (14)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

START TIME:

1:00

OVEN TEMPERATURE:

320°

FINISH TIME:

1:30

BL 09-03-06

(14)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

M-L 09/03/06 (14X)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: FP-18

MD/M-L 09/03/06 (14)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

09/03/07

Job Completion



MF 09-03-09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART

RELEASED


07.04.24




D3535-11F FLAT PATTERN



D3535-11 BEND DETAIL



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL

STOP COPY
TO GO INTO
PRODUCTION
FROM THE
ORIGINAL COPY
DATE 07.04.24
BY H3350

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
PH	PH	D3535
DATE	TITLE	REV. B
07.04.17	WEARSHOE	SHEET 1 OF 7
A	06.10.25	NEW ISSUE
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC

DART

RELEASED

07.04.17

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 2 OF 7
DATE		TITLE	SCALE
07.04.17		WEARSHOE	1:10




4.50 TO BEND
LINE (ON FLAT
PATTERN)


D3535-15F FLAT PATTERN



D3535-15 BEND DETAIL



D3535-21F FLAT PATTERN



D3535-21 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT CL
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO APPROVAL
WITHOUT NOTICE
WORK ORDER
NO. 15380

DART


RELEASED

07.04.24



D3535-23F FLAT PATTERN

D3535-23 BEND DETAIL



D3535-25F FLAT PATTERN

D3535-25 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO APPROVAL
WITHOUT NOTICE
NO. 45350

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	07.04.17	TITLE	D3535	REV. B
				SHEET 3 OF 7
				SCALE
				1:10

DART

RELEASED

07.04.24



D3535-31F FLAT PATTERN




D3535-31 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 45350

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-33F FLAT PATTERN



D3535-33 BEND DETAIL


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 4 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	

DART


RELEASED

07.04.17


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
<i>[Signature]</i>	<i>[Signature]</i>	D3535	SHEET 5 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	



D3535-35F FLAT PATTERN



D3535-35 BEND DETAIL



D3535-37F FLAT PATTERN



D3535-37 BEND DETAIL

SHED COPY
RETURN TO
DRAWING
SUBJECT TO AGREEMENT
WITHOUT NOTICE
WORK ORDER
NO. 45350

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART


RELEASED

07.04.17


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
		D3535
DATE	TITLE	REVISION
07.04.17	WEARSHOE	SHEET 6 OF 7
		SCALE 1:10




D3535-39F FLAT PATTERN



D3535-39 BEND DETAIL



D3535-41F FLAT PATTERN



D3535-41 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO APPROVAL
WITHOUT NOTICE
NO. 45350




DESIGN CB	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED 	APPROVED 	DRAWING NO. D3535	REV. B SHEET 7 OF 7
DATE 07.04.17	TITLE WEARSHOE		SCALE 1:1

RELEASED


07.04.24



DETAIL B



DETAIL A



SECTION C-C

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

45350

Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.